ಶ್ರೀ ಕೆ. ಎರ್. ನರಸಿಂಹಯ್ಯ.—ಹಿಂದೆ ಒಂದಾವರ್ತಿ ಆಗರೇ ಇದು ರಾಭದಾಯಕವಾ ಗಿಲ್ಲವೆಂದು ಕೈಬಿಡರಾಗಿದ್ದ ಕಾಂಗಾರಿಯನ್ನು ಮತ್ತೆ ಈಗ ಪುನರ್‌ಪರಿಶೀಲನೆ ಮಾಡರಾಗು ಗುತ್ತದೆಂದು ಉತ್ತರದಲ್ಲಿ ತಿಳಿಸಿದೆ. ಈಗಿನ ಪುನರ್ ಪರಿಶೀಲನೆಯಿಂದ ಆ ಕೆರೆ ಕೆಲಸ ಮುಂಜೂ ರಾಗ ತಕ್ಕ ಸಂಭವವಿದೆಯೇ ?

†ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಹಿಂದಿನ ಅಂದಾಜು ಪ್ರಕಾರವಾದರೆ ಸಾಧ್ಯವಿಲ್ಲ. ಈಗ ಬೇರೆ ರೀತಿಯಲ್ಲಿ ಸದಸ್ಯರಿಂದ ಒತ್ತಾಯಗಳು ಬರುತ್ತಿರುವುದರಿಂದ ಅಲ್ಲಿ ನೀರಿನ ನರಬರಾಯಿ ಎಷ್ಟರ ಮಟ್ಟಿಗೆ ಇದೆಯೆಂಬುದನ್ನು ಪರಿಶೀಲಸಬೇಕಾಗಿದೆ. ಅದಕ್ಕಾಗಿ ಪ್ರಯತ್ನಮಾಡರಾ ಗುತ್ತಿದೆ.

ಶ್ರೀ ಕೆ. ಎರ್. ನರಸಿಂಹಯ್ಯ.—ಆಕೆರೆ ಆಗುವ ತನಕ ಅಲ್ಲಿ ಸದ್ಯಕ್ಕೆ ಒಂದು ಪಿಕ್-ಅಪ್ ಆದರೂ ಮಾಡಿಸಲು ಸಾಧ್ಯವಿದೆಯೇ ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಆ ವಿಚಾರ ಅಲ್ಲಿ ಸರ್ವೆ ಮಾಡಿದ ಮೇಲೆ ಗೊತ್ತಾಗುತ್ತದೆ.

Mr. SPEAKER.—Question time is over.

QUESTION FOR ANSWER ON THE DAY

(but not taken up)

IMPROVEMENT OF THE KRISHNARAJENDRA HILL STATION AT KEMMANNUGUNDI.

*Q.—75. Sri A. M. BASAVE GOWDA (Chickmagalur).—

Will the Government be be pleaeed to state :—

the steps they have taken to improve the Krishnarajendra Hill Station at Kemmannugundi as a Tourist Centre ?

A.— Sri B. BASAVALIGAPPA (Deputy Minister for Home).—

The following facilities have been provided:—

1. Telephone connection to the Hill Station.
2. Indoor Games and a Tennis Court attached to the Hill Station.
3. Reading Room and Library.
4. R. C. C. Benches.
5. Hot Water Electric boilers.
6. Direction Boards for the the guidance of tourists:
7. Supply of Road and Railway maps for use of visitors.
8. Steps have been taken to improve the road from Lingadahalli to Kemmannugundi.

CONDOLENCE REFERENCE.

Re: the Device of Sri Chandrasekhar Patil M. L. A.

Mr. SPEAKER.—I regret to inform the House of the death of Sri Chandrasekhar Patil, a sitting member of the Assembly, under very